


TEST REPORT NUMBER : TURR170115221

DATE: 29 June, 2017

APPLICANT: Case Sıhhi Tesisat ve Ventil San. Tic. Ltd. Şti
ADDRESS: Güllübağlar Mah. Ankara Cad. Şirin Sk. No:6 Pendik İstanbul
Tel : 02163072727
Attention : Recai Çiçek (recaicicek@caseventil.com)
SAMPLE DESCRIPTION : See attachment
DATE IN : 08 /June /2017
DATE OUT : 29 /June /2017
REQUEST : RoHS Test was performed according to 2011/65/EU Directive.
RESULTS : SEE ATTACHMENT
CONCLUSION : SEE ATTACHMENT

"This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>."

"The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory."



Volkan ALBAYRAK
Customer Care Executive



Zeynep AKIN
Chemical Laboratory Manager